

IT-DUMPS Q&A

Accurate study guides, High passing rate!
IT-dumps provides update free of charge in one year!

Exam : **000-923**

Title : **Netcool/Precision IP V3.6**

Version : **DEMO**

1. Which table is used for Post Discovery filters?

- A. Details.returns
- B. workingEntities.finalEntity
- C. impactTopology.entityByName
- D. scratchTopology.entityByName

Answer: D

2. In a standard Netcool/Precision IP v3.6/IBM Tivoli Netcool/OMNIBus integration, which ObjectServer field is used to influence the behavior in the gateway?

- A. EventId
- B. AlertKey
- C. Identifier
- D. AlertGroup

Answer:A

3. Which three components are configured by default for Netcool/Precision IP v3.6 failover configuration? (Choose three.)

- A. ncp_disco
- B. ncp_monitor
- C. ncp_f_amos
- D. ncp_ncogate
- E. ncp_p_syslog
- F. ncp_d_helpserv

Answer: BCD

4. Which field from the Virtual Domain Database table config.defaults should be used to increase the time between each failover check?

- A. m_FailoverTime
- B. m_FailoverCheck

C. m_HealthCheckPeriod

D. m_AutoTopologyDownload

Answer: C

5. The community for an SNMP v3 implementation contains both an authentication key and a private key. Which security level must be selected when configuring Netcool/Precision IP v3.6?

A. AuthPriv

B. AuthNoPriv

C. NoAuthPriv

D. NoAuthNoPriv

Answer:A

6. The backup Netcool/Precision IP v3.6 (Precision) server is now acting as primary as per the state.domains table in primary VIRTUALDOMAIN service. The Precision administrator wants to confirm the status of each domain by checking records in state.domains on the backup VIRTUALDOMAIN service. With an OQL session into the backup Precision Virtual Domain, what are the values of m_Backup and m_ActingPrimary fields for both the primary and backup domains?

A. m_Backup=1, m_ActingPrimary=0 for Primary Domain AND m_Backup=0, m_ActingPrimary=1 for Backup Domain

B. m_Backup=0, m_ActingPrimary=0 for Primary Domain AND m_Backup=1, m_ActingPrimary=1 for Backup Domain

C. m_Backup=1, m_ActingPrimary=1 for Primary Domain AND m_Backup=0, m_ActingPrimary=0 for Backup Domain

D. m_Backup='UP', m_ActingPrimary='DOWN' for Primary Domain AND m_Backup='DOWN', m_ActingPrimary='UP' for Backup Domain

Answer:A

7. In an environment that has Netcool/Precision IP v3.6 (Precision) and IBM Tivoli Netcool/Omnibus installed, which three files control probe data configurations in Precision? (Choose three.)

A. ControlServices.cfg

B. nco_p_ncpmonitor.map

C. nco_p_ncpmonitor.rules

D. ncp_p_ncomonitor.props

E. nco_p_ncpmonitor.props

F. ncp_m_trapstitcher.props

Answer: BCE

8. Which database table should be used when defining a filter to match the first three octets of a devices IP address within the Filter section of the Network View Properties window of Topoviz?

A. mplsVpns

B. entityByName

C. deviceAttributes

D. mainNodeDetails

Answer: D

9. The ifInErrors polling definition has a Scope="EntityType = 1 AND IsActive =1 and Contains is not null". Which statement is true?

A. SNMP queries are sent to the Main Node. Contains is not null ensures that Main Node has the appropriate varbinds as requested by the polling definition.

B. SNMP requests are sent to individual interfaces. Contains is not null ensures that the Interface records have sufficient information regarding Inbound Error measures.

C. SNMP queries are sent to the Main Node. Contains is not null ensures that the polling definition only gathers information from Main Nodes, with associated discovered interfaces.

D. SNMP queries are sent to individual interfaces that are IfAdminStatus and IfOperStatus of UP. Contains is not null ensures that the Interface records have the appropriate varbinds as requested by the polling definition.

Answer: C

10. By default, which agent collects the sysContact MIB object?

A. Entity

B. Details

C. Interface

D. ExtraDetails

Answer: D

11. The NmosCauseType for all events in the ObjectServer is unknown. What is a possible cause for this?

- A. The ncp_nco gate process is not running.
- B. The ncp.domains table contains incorrect information.
- C. The Netcool/Precision IP v3.6 server's SNMP Agent is not enabled.
- D. The ncp_model_to_mysql process did not pass the topology to the MySQL database.

Answer:A

12. You have a configuration that enables Topoviz to communicate with the MySQL database. Which three configuration parameters can be set under the Database Configuration tab of the Precision Administration page in Netcool GUI Foundation? (Choose three.)

- A. Username
- B. Database Port
- C. Database Host
- D. Database Type
- E. Precision Domain
- F. Database Tablespace

Answer: ABC

13. Which components are contained within the Netcool/Precision IP v3.6 installation package on the Windows platform?

- A. MySQL, Netcool GUI Foundation, Netcool/Webtop, Netcool/Precision IP
- B. MySQL, Netcool Security Manager, Netcool/Webtop, Netcool/Precision IP
- C. MySQL, Netcool GUI Foundation, Netcool Security Manager, Netcool/Precision IP
- D. Netcool GUI Foundation, Netcool Security Manager, Netcool/Webtop, Netcool/Precision IP

Answer:A

14. What is the correct argument for generating debug level log messages while running an installation from the command line within the Windows environment?

- A. -debug

B. -message debug

C. -errorlevel debug

D. -messagelevel debug

Answer: C

15. You want to set logging for the discovery process to its most detailed output level. Which value should you use for the -debug option?

A. 1

B. 4

C. full

D. debug

Answer: B

16. Which two Netcool/Precision IP v3.6 subsystems use the SNMP data retrieved by the ExtraDetails Agent? (Choose two.)

A. Netcool/MTTrapd Probe

B. Netcool/Precision IP OpenRiver v2.0

C. Netcool/Precision IP Asset Discovery v2.0

D. Netcool/Precision IP for Access Control v2.0

E. Netcool/Precision IP Cramer Integration Module v2.0

Answer: CE

17. Click the Exhibit button. Netcool/Precision IP v3.6 CTRL is started using command `ncp_ctrl -domain DOMAIN_1 -logdir $NCHOME/log/precision`. The exhibit shows the service definition for CLASS in `CtrlServices.DOMAIN_1.cfg`. IBM support has asked you to change the log debug level for CLASS to 4, which is running with process PID 1234. How do you accomplish this?

```
insert into services.inTray
(
  serviceName,
  servicePath,
  domainName,
  argList,
  retryCount
)
values
(
  "ncp_class",
  "$PRECISION_HOME/platform/$PLATFORM/bin",
  "$PRECISION_DOMAIN",
  [ "-domain", "$PRECISION_DOMAIN", "-read_aocs_from", "$PRECISION_HOME/aoc",
    "-latency", "60000", "-debug", "0" ],
  5
);
```

- A. run the command kill -USR4 1234 once
- B. run the command kill -USR2 1234 once
- C. run the command kill -HUP 1234 four times
- D. run the command kill -USR2 1234 four times

Answer: D

18. What must be done prior to the installation of Netcool/Precision IP v3.6 (Precision)?

- A. obtain geographic location of all network devices
- B. obtain Precision server root level access or equivalent
- C. gather list of network devices that provide syslog messages
- D. gather list of network devices that do not provide SNMP access

Answer: B

19. What must you do to determine if the Netcool/Precision IP v3.6 (Precision) server is configured in the scope of discovery from the command line?

- A. You ensure there is a scope.zones section that includes the expected IP address for the Precision server and contains an m_Action value of '1'.
- B. You ensure there is a scope.zones section that includes the expected IP address for the Precision server and contains an m_Action value of '2'.
- C. You ensure there is a scope.discovery section that includes the expected IP address for the Precision server and contains an m_Action value of '1'.

D. You ensure there is a scope.discovery section that includes the expected IP address for the Precision server and contains an m_Action value of '2'.

Answer:A

20. A customer requires that all Cisco 2600 Routers are monitored for chassis and interfaces ping failures. Given ncp_oql command-line access, which Netcool/Precision IP v3.6 services would you query to determine if the ping polling is enabled?

A. AMOS

B. MODEL

C. CLASS

D. DISCO

Answer: C

This document was created with Win2PDF available at <http://www.win2pdf.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.
This page will not be added after purchasing Win2PDF.