

# IT-DUMPS Q&A

Accurate study guides, High passing rate!  
IT-dumps provides update free of charge in one year!

**Exam : 000-N31**

**Title : IBM Worklight Mobile  
Foundation Technical Sales  
Mastery v1**

**Version : DEMO**

1.Which authenticators are supported out of the box? (Choose three)

- A.Header authentication
- B.Persistent cookie authentication
- C.Form-based authentication
- D.Kerberos authentication

**Answer:** A,B,C

2.Once a Shell developer completes developing her Shell components, what is the proper way to distribute it to inner application developers?

- A.Zipping the Worklight project and emailing it to inner application developers
- B.Committing the Worklight project to a Source Control Management system and telling inner application developers to use source code from it
- C.The Shell developer should not distribute the Shell component to inner application developers. They should send their inner applications to her in order to build them
- D.Sending the .wlshell Shell bundle file to inner application developers

**Answer:** D

3.When should the Shell development approach be considered?

- A.There are only two developers
- B.The company wants to create a number of mobile applications sharing a common native code base and authentication mechanism
- C.The company wants to create a native iOS and Android application, but its resources are limited
- D.The company has distributed development teams situated on different continents that must share the source code

**Answer:** B

4.What is messages.js file used for?

- A.This file contains the texts of application pop-up prompts
- B.This file contains the texts of error messages that application may show
- C.This is an internal framework file.It is used to store system messages for debugging purposes
- D.This file contains strings that can be used for application elements

**Answer:** D

5.Which OS uses an HTML generated tab-bar?

- A.iOS
- B.Android
- C.Blackberry
- D.Windows Phone

**Answer:** B

6.Which of the following is not a client side push API?

- A.WL.Client.Push.isPushSupported()
- B.WL.Client.Push.isSubscribed()

- C.WL.Client.Push.unsubscribe()
- D.WL.Client.Push.poll()

**Answer: D**

7.A Worklight adapter is used to \_\_\_\_\_.

- A.adapt the application to various environments (iOS, Android etc)
- B.connect to various back-end systems
- C.make sure that client application works directly with a corporate back-end system
- D.make sure that client application is not running on a JailBroken/Rooted device

**Answer: B**

8.Which of these adapter properties is mandatory?

- A.adapter name
- B.display name
- C.description
- D.ip address

**Answer: A**

9.How can SQL statements can be invoked?

- A.Only by using SQL statement query
- B.Only by using SQL stored procedure
- C.Only by having a separate file with SQL queries
- D.Both by using SQL statement query and SQL stored procedures

**Answer: D**

10.Assuming it is not overridden manually, in which case will the isSuccessful property of the procedure invocation result be true?

- A.Worklight server is not accessible
- B.Back end that adapter tries to connect to is not accessible
- C.Internet is not available on a mobile device
- D.Specified procedure does not exist in adapter

**Answer: B**