

IT-DUMPS Q&A

Accurate study guides, High passing rate!
IT-dumps provides update free of charge in one year!

Exam : **2V0-621**

Title : VMware Certified
Professional 6 – Data
Center Virtualization Beta


Version : DEMO

1.Refer to the Exhibit.



An administrator receives vRealize Operations alerts for the Health of the virtual machine PVMAPP_0 as shown in Exhibit 1:

The administrator clicks on the Analysis pane, as shown in Exhibit 2:



Based on the exhibits, what action would correctly address the performance problems observed?

- A. Increase the number of vCPUs for PVMAPP_0.
- B. Increase the allocation of memory for PVMAPP_0.
- C. Increase the Memory limit for PVMAPP_0.
- D. Increase the reservation in MHz for vCPUs for PVMAPP_0.

Answer: A

2.Refer to the Exhibit.

```

6:43:19pm up 46 days 2:17, 502 worlds, 2 VMs, 8 vCPUs: CPU load average: 1.37, 1.35, 1.35
%CPU USED(%): 99 99 100 99 AVG: 99
%CPU UTIL(%): 99 99 99 99 AVG: 99

```

| ID | GID NAME | NWLD | %USED | %RUN | %SYS | %WAIT | %VMMWAIT | %RDY | %IDLE | %OVRLP | %CSIP | %MLMID | %SWPWT |
|----------|-----------------|------|--------|--------|------|--------|----------|--------|-------|--------|-------|--------|--------|
| 20672602 | 20672602 SlowVM | 10 | 202.81 | 203.52 | 0.00 | 589.96 | 0.00 | 163.60 | 0.00 | 0.73 | 61.73 | 0.00 | 0.00 |
| 20673003 | 20673003 TestVM | 10 | 199.49 | 200.02 | 0.00 | 599.95 | 0.07 | 164.35 | 0.00 | 0.66 | 54.68 | 0.00 | 0.00 |

An administrator is troubleshooting a CPU performance related problem for the SlowVM virtual machine. Which three actions should the administrator take to improve CPU performance for SlowVM? (Choose three.)

- A. Increase the number of vCPUs assigned to SlowVM.
- B. Decrease the number of vCPUs assigned to SlowVM.
- C. Power off other VMs running on the same ESXi host.
- D. Increase the CPU limit for SlowVM.
- E. Move SlowVM to another ESXi host with more physical CPU resources available.

Answer: B,C,E

3.An administrator suspects that the MTU value for a vSphere Standard Switch is misconfigured. Which two commands can determine the value? (Choose two.)

- A. esxcfg-vswitch -l
- B. esxcli network vswitch standard list
- C. esxcfg-vss -l
- D. esxcli network standard vswitch list

Answer: A,B

4.What command line utility can be used to upgrade an ESXi host?

- A. esxcli
- B. esxupdate
- C. vihostupdate
- D. esxcfg

Answer: A

5.Which two advanced features should be disabled for virtual machines that are only hosted on a vSphere system? (Choose two.)

- A. isolation.tools.unity.push.update.disable
- B. isolation.tools.ghi.launchmenu.change
- C. isolation.tools.bbs.disable
- D. isolation.tools.hgfsServerSet.enable

Answer: A,B