

Exam : 642-278


**Title**: Implementing CUCM for

TelePresence Video

Solutions Exam

Version: Demo

## 1.Refer to the exhibit.



The user of IP phone A has opened a trouble ticket that he cannot call IP phone B. where is the best place for troubleshooting this issue.

- A. IP phone B
- B. The Cisco Unified Communication Manager system in the site A
- C. IP phone A
- D. IP phone A user
- E. The local VoIP voice gateway of IP phone B
- F. IP phone B user

Answer: E

- 2. How many TFTP servers should be in a Cisco Unified Communications Manager cluster.?
- A. 1
- B. 2
- C. 4
- D. 8

Answer: A

- 3. Cisco Unified Communications Manager redundancy for a Cisco TelePresence endpoint is achieved which two of the following? (Choose two)
- A. Configure a Cisco Unified Communications Manager group with two Cisco Unified Communications manager servers in the preferred order.
- B. Configure a Cisco Unified Communications Manager group with three Cisco Unified Communications manager servers in the preferred order.
- C. Configure a Cisco Unified Communications Manager group with three Cisco Unified Communications manager server because redundancy is not supported for Cisco TelePresence endpoints.
- D. Configure a Cisco Unified Communications Manager group with three Cisco Unified Communications manager servers and the calls will be load-balanced between the two Cisco Unified Communications Manager servers in the group.

Answer: A,B

- 4. Video bandwidth limits can be set for Cisco TelePresence System endpoints at which two places? (Choose two)
- A. Region
- B. Calling search space
- C. Device pool
- D. Location
- E. Physical location

Answer: A,D

5. Which of the following statements is correct when deploying Cisco TelePresence in a centralized call-processing scenario?

A. Use Cisco unified SRST to provide for local survivability for the Cisco TelePresence endpoints in the event of a WAN outage and use AAR to provide an alternative path for Cisco TelePresence calls in the event that there is insufficient bandwidth on the WAN.

- B. Cisco TelePresence endpoints do not support SRST. The best solution is to build a redundant WAN.
- C. AAR should be used to reroute Cisco TelePresence calls over a Cisco TelePresence intercompany service provider in the event that the primary enterprise WAN path is unavailable.
- D. Every site in a centralized call-processing deployment must contain a Cisco Unified Communications Manager node for the Cisco TelePresence endpoints to register to.

Answer: B