

# IT-DUMPS Q&A

Accurate study guides, High passing rate!  
IT-dumps provides update free of charge in one year!

**Exam** : **922-109**

**Title** : **Communications Server  
1000 RIs.6.0 BARS/NARS**

**Version** : **Demo**

1.With Communication Server 1000 Rls. 6.0, Zone Based Dialing is supported for both public and private dial and numbering plans for on-net calls. Which statements best describe Zone Based Dialing? (Choose two.)

A.For outgoing trunk calls, CLID is converted to E.164 format when DIALPLAN is configured as PUB, for PRV type - CLID remains as is.

B.On-net Calls are routed using each CS 1000 site dial plan database and are routed to the remote system to process.

C.Private and Public (E.164) dial plans and features are not retained. Zone Based Dialing uses the Flexible Dial Plan information to route network-wide.

D.A new Zone type, Numbering Zones, provides a user interface to configure the parameters for: Zone-based Parameters, Flexible Dial Plan, and Direct Inward Dial number.

Answer:A D

2.Click on the Exhibit button. Given the SDRR programming options shown in the exhibit, which SDRR programming would allow a user at to be able to dial 1-900-867-3333, but not successfully dial any other 1-900 based number?

| Table 1      | Table 2   | Table 3      | Table 4  |
|--------------|-----------|--------------|----------|
| SPN 1900     | SPN 1900  | SPN 1900     | SPN 1900 |
| RLI 3        | RLI 3     | RLI 3        | RLI 3    |
| DENY 1       | DENY 1    | DENY ALL     | DENY     |
| DENY 2       | DENY 2    |              |          |
| DENY 3       | DENY 3    |              |          |
| DENY 4       | DENY 4    |              |          |
| DENY 5       | DENY 5    |              |          |
| DENY 6       | DENY 6    |              |          |
| DENY 7       | DENY 7    |              |          |
| DENY 8       | DENY 8    |              |          |
| DENY 9       | DENY 9    |              |          |
| DENY 0       | DENY 0    |              |          |
| ALOW 8673333 | ALOW 3333 | ALOW 8673333 | ALOW     |

A.Table 1

B.Table 2

C.Table 3

D.Table 4

Answer:A

3.Click on the Exhibit buttons. Given the customer's programmed database shown in the exhibits and where AC1 = 9, which RLI will the call complete when a station user dials 9-814-666-3434?

|      |         |
|------|---------|
| TRAN | AC1     |
|      |         |
| NPA  | 1912    |
| RLI  | 4       |
| SDRR | NONE    |
| ITEI | NONE    |
|      |         |
| NPA  | 1914    |
| RLI  | 3       |
| SDRR | NONE    |
| ITEI | NONE    |
|      |         |
| NPA  | 1718    |
| RLI  | 4       |
| SDRR | NONE    |
| ITEI | NONE    |
|      |         |
| NPA  | 1717    |
| RLI  | 9       |
| DENY | 39680   |
| DENY | 39681   |
| DDD  | 5344000 |
|      |         |
| NPA  | 1814    |
| RLI  | 4       |
| SDRR | NONE    |
| ITEI | NONE    |
|      |         |
| NPA  | 1609    |
| RLI  | 2       |
| DID  | 53330   |
| ITEI | NONE    |

| RLI 2  |  |
|--|--|
| ENTR 0   |  |
| ROUT 3   |  |
| TOD 0 ON 1 ON 2 ON 3 ON<br>4 ON 5 ON 6 ON 7 ON |  |
| CNV NO   |  |
| EXP NO   |  |
| FRL 5  |  |
| DMI 0  |  |
| FCI 0  |  |
| OHQ NO   |  |
| CBQ NO   |  |
|  |  |
| ISET 1   |  |
| MFRL 0   |  |
|  |  |
| ENTR 1   |  |
| ROUT 1   |  |
| TOD 0 ON 1 ON 2 ON 3 ON<br>4 ON 5 ON 6 ON 7 ON |  |
| CNV NO   |  |
| EXP NO   |  |
| FRL 3  |  |
| DMI 0  |  |
| FCI 0  |  |
| OHQ NO   |  |
| CBQ NO   |  |
|  |  |
| ENTR 2   |  |
| ROUT 0   |  |
| TOD 0 ON 1 ON 2 ON 3 ON<br>4 ON 5 ON 6 ON 7 ON |  |

| RLI 3  |  |
|--|--|
| ENTR 0   |  |
| ROUTE 5  |  |
| TOD 0 ON 1 ON 2 ON 3 ON<br>4 ON 5 ON 6 ON 7 ON |  |
| CNV NO   |  |
| EXP NO   |  |
| FRL 1  |  |
| DMI 2  |  |
| FCI 1  |  |
| OHQ NO   |  |
| CBQ NO   |  |
|  |  |
| ENTR 1   |  |
| ROUTE 1  |  |
| TOD 0 ON 1 ON 2 ON 3 ON<br>4 ON 5 ON 6 ON 7 ON |  |
| CNV NO   |  |
| EXP NO   |  |
| FRL 3  |  |
| DMI 0  |  |
| FCI 0  |  |
| OHQ NO   |  |
| CBQ NO   |  |
|  |  |
| ENTR 2   |  |
| ROUT 0   |  |
| TOD 0 ON 1 ON 2 ON 3 ON<br>4 ON 5 ON 6 ON 7 ON |  |
| CNV NO   |  |
| EXP YES  |  |
| FRL 3  |  |

- A.RLI 2
- B.RLI 3
- C.RLI 4
- D.RLI 9
- E.call will not complete as dialed

Answer:E

4.Click on the Exhibit button. A customer's dialing requirements, listed below, require that all station users assigned an NCOS of 3 and Class of Service of Conditionally Toll Denied (CTD) be able to place toll calls from the United States to Australia. Australia Country Code: 61 NCOS of 3 has an FRL of 3 Expensive Routers are not being used With reference to the exhibit, which table will allow all station users to be able to place these toll calls?

| TABLE A  | TABLE B  | TABLE C  | TABLE D  |
|--|--|--|--|
| SPN 61   | SPN 61   | SPN 61   | SPN 61   |
| RLI 2  | RLI 3  | RLI 4  | RLI 5  |
| RLI 2  | RLI 3  | RLI 4  | RLI 5  |
| ENTR 0   | ENTR 0   | ENTR 0   | ENTR 0   |
| ROUT 3   | ROUT 3   | ROUT 4   | ROUT 3   |
| TOD 0 ON 1 ON 2 ON 3 ON<br>4 ON 5 ON 6 ON 7 ON | TOD 0 ON 1 ON 2 ON 3 ON<br>4 ON 5 ON 6 ON 7 ON | TOD 0 ON 1 ON 2 ON 3 ON<br>4 ON 5 ON 6 ON 7 ON | TOD 0 ON 1 ON 2 ON 3 ON<br>4 ON 5 ON 6 ON 7 ON |
| CNV NO   | CNV NO   | CNV NO   | CNV NO   |
| EXP NO   | EXP NO   | EXP NO   | EXP NO   |
| FRL 5  | FRL 2  | FRL 5  | FRL 5  |
| ENTR 1   | ENTR 1   |  | ENTR 1   |
| ROUTE 1  | ROUTE 1  |  | ROUTE 1  |
| TOD 0 ON 1 ON 2 ON 3 ON<br>4 ON 5 ON 6 ON 7 ON | TOD 0 ON 1 ON 2 ON 3 ON<br>4 ON 5 ON 6 ON 7 ON |  | TOD 0 ON 1 ON 2 ON 3 ON<br>4 ON 5 ON 6 ON 7 ON |
| CNV NO   | CNV NO   |  | CNV NO   |
| EXP NO   | EXP NO   |  | EXP NO   |
| FRL 6  | FRL 6  |  | FRL 4  |

- A.Provisioning Table A
- B.Provisioning Table B
- C.Provisioning Table C
- D.Provisioning Table D

Answer:B

5.Click on the Exhibit button. Consider a customer's dialing plan and programming shown in the exhibit. Assuming all required Route List Indexes have been programmed, why will the station user's dialed call of 6-544-3333 not complete?

