

Exam: HP0-Y42

Title: Implementing HP

TippingPoint Solutions

Version: Demo

1.Click the Exhibit button.

Filter	Flows	Success	% Total	8 Success	Zoneless	8 Zoneless
8915	2289	0	19	0.00	0	0
6375	1132	0	9	0.00	0	0
1380	990	0	8	0.00	0	0
657	926	463	7	50.00	0	0
1450	507	335	4	66.07	0	0
3740	507	0	4	0.00	0	0
1130	377	0	3	0.00	0	0
1129	377	337	3	89.38	0	0
588	370	370	3	100.00	0	0
5456	330	0	2	0.00	0	0
6545	330	0	2	0.00	0	0
5457	330	0	2	0.00	0	0
6515	330	0	2	0.00	0	0
4616	330	0	2	0.00	0	0
1365	330	0	2	0.00	0	0
1698	206	103	1	50.00	0	0
1279	180	0	1	0.00	0	0
495	180	0	1	0.00	0	0
1117	180	0	1	0.00	0	0
1109	180	0	1	0.00	0	0
otal of 1		100	_		-	_

Which filters share the same trigger? (Select two.)

A. 1129 and 8915

B. 5456, 6545, 5457, 6515, 4616, 1365

C. 657, 1450, 3740 and 588

D. 1129, 1117, 1109

E. 495, 1117, 1109

Answer: B,E

2.Click the Exhibit button.

Filter	Flows	Success	% Total	% Success	Zoneless	% Zoneless
8915	2289	0	19	0.00	0	0
6375	1132	0	9	0.00	0	0
1380	990	0	8	0.00	0	0
657	926	463	7	50.00	0	0
1450	507	335	4	66.07	0	0
3740	507	0	4	0.00	0	0
1130	377	0	3	0.00	0	0
1129	377	337	3	89.38	0	0
588	370	370	3	100.00	0	0
5456	330	0	2	0.00	0	0
6545	330	0	2	0.00	0	0
5457	330	0	2	0.00	0	0
6515	330	0	2	0.00	0	0
4616	330	0	2	0.00	0	0
1365	330	0	2	0.00	0	0
1698	206	103	1	50.00	0	0
1279	180	0	1	0.00	0	0
495	180	0	1	0.00	0	0
1117	180	0	1	0.00	0	0
1109	180	0	1	0.00	0	0
otal of 1	1930 flows					

The action set for filter 657 is set to lock + Notify + Email.? How can you alter the filter to improve performance without affecting security.?

- A. Disable the filter and configure a Traffic Management Rule.
- B. Change the action set for filter 657 to "Block."
- C. Turn on Packet Capture for filter 657 to analyze the behavior of the traffic.
- D. Turn off the filters that reside above 657 (6545, 6515, 5457 and 5456) in order to move filter 657 to the top of the list.

Answer: B

- 3. Where does the TSE apply a rate-limit?
- A. Header Processing
- B. Threat Verification
- C. Flow Control
- D. Flow Table

Answer: C

- 4. What is the purpose of HP TippingPoint SMS named resources?
- A. They enable Active Directory to authenticate log in requests.
- B. They allow you to easily identify source and destination in Events.
- C. They hide you from specified external resources.
- D. They enable RADIUS to authenticate log in requests.

Answer: B

- 5.Time synchronization between an HP TippingPoint IPS and SMS is a default requirement when a new management connection is configured. Which statement best describes the reason for this is requirement?
- A. Time synchronization is required for the secure management connection between the IPS and SMS.
- B. Time synchronization is required for the SNMP connection between the IPS and SMS.
- C. Time synchronization is required for the database connection in the SMS.
- D. Time synchronization is required for accurate reporting between the IPS and SMS.

Answer: D