

Exam: HPE2-K44

Title : Implementing Advanced

HPE Backup and


Recovery Solutions

Version: DEMO

- 1. Which resource would affect the per stream deduplication to perform efficiently on a media server?
- A. NVDIMM should be used to cache the proxy the backup stream.
- B. On a Media server with intel CPU. enable hyperthreading.
- C. Adding more NICs to the Media server, to share the load between backup streams.
- D. Reserve required memory space for each backup stream.

Answer: A

2.Refer to the exhibit.



Which backup topology is presented in the exhibit?

- A. server-less backup
- B. remote backup
- C. push agents
- D. local backup

Answer: B

- 3. What is the maximum number of target arrays supported on HPE 3PAR Remote Copy in an M-to-N configuration?
- A. 2
- B. 4
- C. 6
- D. 8

Answer: A

- 4. Which HPE StoreOnce Backup System support Federated Catalyst?
- A. VSA based StoreOnce models
- B. all 6000 series
- C. all StoreOnce models with FC connectivity
- D. all HPE StoreOnce models

Answer: B

- 5. Which statement is true about HPE 3PAR replication in a 1:1 topology?
- A. Simultaneous synchronous and asynchronous periodic replication is supported.
- B. Bidirectional replication requires 4 controller nodes.
- C. Primary array supports RCIP replication to first target array and RCFC to second target array.

D. Primary and target arrays require the same number of controller nodes.

Answer: C