

Accurate study guides, High passing rate! IT-dumps provides update free of charge in one year!

http://www.it-dumps.com

Exam : IBMSPSSMBPDA

Title : IBM SPSS Modeler -Business Partner Data Analyst Associate Exam

Version : DEMO

CE PRACE		
Derive as: Formula		
Settings Annotations	and the state of the second	
Mode: C	🔿 Single 🕲 Multiple	
Derive from:		
Stravel 1 Stravel 2 Travel 3 Travel 3 Travel 4		X
Field name extension: _Elapse	Add as: 🐵 Sum	O Prefix
Derive as: Formula	TIP. Refer to selected fields by us	
Field type: 🗳 <default> 👻</default>		
Formula:		
date_weeks_difference(AcctEst@FI	ELD)	
		In a line
OK Cancel	Apply	Reset

1. Which fields are created by this Derive dialog?

A.Three fields representing the difference between Travel-1 and each of other Travel fields. B.No operation will be performed because the express is invalid.

C.Four fields representing the difference in weeks between AcctEst and each of the travel fields.

D.A field representing the difference between AcctEst and the global @ FIELD value.

Answer: C

2.A prison system has historical data on prison inmates and wants to find what factors are related to recidivism (return to prison).What type of model would be used?

A.Segmentation model

- B.Classification model
- C.Association model
- D.Anomaly model

Answer: AB

3. Which node is used to read data from a comma delimited text file?

- A.Var.File
- B.Data Collection
- C.Fixed File

D.Statistics File Answer: A

4. The optional binning method in the Binning node uses a Supervisor field to determine the binning cut points.

A.True

B.False

Answer: A

5. Which node can be used to easily generate a field that divides the data into subsamples for the training and testing stages of modeling?

A.Sample

B.Filler

C.Balance

D.Partition

Answer: D