

Exam : JN0-451

Title : Mist AI - Specialist (JNCIS-

MistAI)

Version: DEMO

1. You receive a Marvis Actions alert informing you that there is a non-compliant AP at one of your sites.

What should you do to correct the problem?

- A. Request an RMA.
- B. Disconnect the Rogue AP from your Ethernet switch.
- C. Replace the AP with the correct hardware model.
- D. Install the correct version of firmware on the AP.

Answer: D Explanation:


Reference: https://www.mist.com/documentation/what-is-marvis-actions/

- 2. When does a Mist AP actually begin transmitting BLE?
- A. When it is claimed and placed on a site.
- B. When it is placed on a floor plan.
- C. When BLE is enabled at the Organization level.
- D. When BLE is enabled for the AP.

Answer: D Explanation:

Reference: https://www.mist.com/documentation/ble-mac-randomization/

3.Click the Exhibit button.



Referring to the exhibit, what would a guest user be able to do?

- A. Use Gmail and Slack.
- B. Use the Internet, except for Gmail and Slack.
- C. Use the HP Printer and Internet.
- D. Use only the Intranet.

Answer: B

- 4. Which two authentication methods would be used with a guest portal? (Choose two.)
- A. social login
- B. external portal
- C. RSA
- D. Kerberos

Answer: A,B

5. You have received a Marvis Actions Missing VLAN notification.

In this scenario, where is the problem?

A. The gateway is missing the VLAN.

- B. An access point is missing the VLAN.
- C. A client is missing the VLAN.
- D. A switch is missing the VLAN.

Answer: D Explanation:

Reference: https://www.mist.com/documentation/what-is-marvis-actions/