

Exam : NSE6\_FAD-6.2

Title: Fortinet NSE 6 - FortiADC

6.2

**Version**: DEMO

1.An administrator wants to make sure their servers are protected against zero-day attacks.

Which FortiADC feature would they configure to accomplish this?

- A. Advanced health checks
- B. Advanced WVS
- C. Signature-based IPS
- D. Advanced WAF

Answer: D

2.An administrator has configured all the back end servers with a maximum warm-up state rate.

Under which two conditions is the maximum rate enforced by FortiADC? (Choose two.)

- A. As long as a server keeps replying to the health Check
- B. When multiple health check methods have been configured for a server and some of them are failing but at least one is up.
- C. When the status of a server is set to Enabled from Maintain of Disabled
- D. During a warm-up period, when a server is back online after a health check downtime

Answer: C, D

- 3. Which are two advantages of TCP multiplexing? (Choose two.)
- A. it reduces the number of TCP sessions that the server
- B. it allows FortiADC to balance a client TCP connection among multiple servers
- C. A new client connection does not need to wait for a new FortiADC-to-server connection
- D. It reduces the number of TCP sessions that clients need to establish

Answer: AB

- 4. When configuring a FortiADC configuration backup, which two options are available for designating a storage location for the configuration file? (Choose two.)
- A. DSSH
- B. FortiADC local storage
- C. Local PC/Server
- D. FortiCloud

Answer: B, C

5.An administrator is running the following sniffer on FortiADC:

Diagnose sniffer packet any "port 80" 2

What two pieces of information are included in the output of the sniffer? (Choose two.)

- A. IP payload
- B. Ethernet headers
- C. Port names
- D. IP headers

Answer: A, D